




PRODUCT GUIDE



CREDIT		0.00	\$7.00
TOTAL			
	Planters Salted Peanuts	<input type="checkbox"/>	
	CAL 250	<input type="checkbox"/>	
	SEL 42		\$1.00
	Odwalla Original Superfood Juice 15.2 fl	<input type="checkbox"/>	
	CAL 240	<input type="checkbox"/>	
	SEL 56		\$2.00
	FR. TRIANGLE HAM WHEAT	<input type="checkbox"/>	
	SEL 10		\$4.00



EXPERIENCE THE
**LOWEST COST
OF OWNERSHIP**
IN THE INDUSTRY



VISIT USELECTIT.COM



1-800-247-8709 • www.uselectit.com



DELIVERY LOCKERS

Available on the App Store

ANDROID APP ON Google play

Allow end-users to streamline their mobile ordering or pick-up experience with a complete end-to-end contactless experience.

Shown with Optional Graphics Wrap and Touch Screen

INCREASE ORDER THROUGHPUT



Improves operations and reduces costs by eliminating bottlenecks and improving customer throughput

KEEPS FOOD FRESH



Insulated cubbies keep hot and cold food viable for 30+ minutes at a time

REDUCES ORDER MIX-UPS



Create pick-up efficiencies and reduce order mix-ups



SCAN TO WATCH VIDEO

Self Service Convenience with the Security you Need

Vending + Micro Market Hybrid



PAY



GRAB



SCAN



CHECK OUT

*In order to bring you the best products possible, we continue to improve product design and performance and as such specifications are subject to change without notice. The manufacturer makes no warranties or representations of compliance with any local, state, national or international requirements for the operation of the equipment in any application for which it is capable of being used beyond the UL and NAMA approvals listed on the product. Any purchaser is required to make an independent analysis of the fitness and legality of the product's usage before it is deployed and must continue to monitor the potential changing nature of compliance requirements. The manufacturer expressly disclaims responsibility for compliance with any laws and affirmatively requires any buyer to make an independent analysis of the fitness and legal basis of any use or application of the subject unit.



Evoke 6 Snack Merchandiser						
Selections	Up to 70 items (6 Tray); 82 Items (7 Tray)					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	46" (116.8 cm)	Depth	35.2" (89.4 cm)
Ship Weight	*626 lbs. (283.9 kg) *Varies with tray configuration and options.					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, Delivery Assist, Braille Keypad, Leg Covers & ADA Compliant					
Options	7th Full Size Tray, UVend Technology, 10.1" Touch Screen Interface, inDEX Online (Touch Screen), Motor Pairing, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Kick Panel & Changeable LED Backlit POS					



Product Capacity and Flexibility


633 Items (6 Tray)
(252 Snack-Pastry/381 Candy)
773 Items (7 Tray)
(296 Snack-Pastry/477 Candy)



Shown with optional 7th tray, optional 10.1" touch screen and standard leg covers.

10.1" Touch Screen iCart Interface

Optional



ADA Compliant



Full-Size 7th Tray

Optional



Shown with standard 3.5" display, braille Identified keypad and leg covers.

Evoke 5 Snack Merchandiser						
Selections	Up to 65 items					
Capacity	528 Items (210 Snack & Pastry / 318 Candy)					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	41" (104 cm)	Depth	35.2" (89.4 cm)
Ship Weight	*564 lbs. (256 kg) *Varies with tray configuration and options.					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, Delivery Assist, Braille Keypad, Leg Covers & ADA Compliant					
Options	10.1" Touch Screen Interface, UVend Technology, Motor Pairing, Gum and Mint Tray, inDEX Online (Touch Screen), Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics & Changeable LED Backlit POS & Kick Panel					



Available with platinum silver door.

Mercato 5000 Snack Merchandiser						
Selections	Up to 65 items					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	41.1" (104.4 cm)	Depth	34.75" (88.3 cm)
Shipping Weight	*516 lbs. (234 kg) *Varies with configuration & options.					
Standard Features	GVC2 Controller with Scrolling VF Display, LED Lighting, iVend® Delivery Sensor System, Motor Pairing Capable & Back Lighted Braille Keypad					
Options	iCart Touch Screen Interface with FLEX controller, UVend Technology, inDEX Online (Touch Screen), ADA Delivery Bin, Motor Pairing, Additional Gum & Mint Tray, Kick Panel, Custom Colors & Custom Graphics					





Shown with optional 7" touch screen. Available with black door.

Mercato 4000 Snack Merchandiser						
Selections	Up to 52 items					
Standard Configuration	423 Items (128 Snack / 255 Candy / 40 Pastry)					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	35.2" (89 cm)	Depth	34.75" (88.3 cm)
Shipping Weight	*481 lbs. (218.2 kg) *Varies with configuration & options.					
Standard Features	Dual Helix, GVC2 Controller with Scrolling VF Display, LED Lighting, iVend® Delivery Sensor System, inDEX Online (Touch Screen), Back Lighted Braille Keypad, Motor Pairing Capable, and Gum & Mint Helixes					
Options	iCart Touch Screen Interface with FLEX controller, UVend Technology, inDEX Online (Touch Screen), ADA Delivery Bin, Motor Pairing, Additional Gum & Mint Tray, Kick Panel, Custom Colors & Custom Graphics					



Available with platinum silver door.

Mercato 3000 Snack Merchandiser						
Selections	Up to 36 items					
Standard Configuration	360 Items (114/ Snack / 198 Candy / 48 Pastry)					
Payment Systems	All Industry standard MDB compatible devices					
Data Communication	DEX/UCS					
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS					
Dimensions	Height	72" (183 cm)	Width	29.3" (74.4 cm)	Depth	34.75" (88.3 cm)
Shipping Weight	*431 lbs. (195.5 kg) *Varies with configuration & options.					
Standard Features	Dual Helix, GVC2 Controller with Scrolling VF Display, LED Lighting, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Motor Pairing Capable and Gum & Mint Helixes					
Options	iCart Touch Screen Interface with FLEX controller, inDEX Tool, UVend Technology, inDEX Online (Touch Screen), ADA Delivery Bin, Motor Pairing, Additional Gum & Mint Tray, Kick Panel, Custom Colors & Custom Graphics					






Evoke Elevator Refrigerated Merchandiser						
Selections	Up to 60 Items					
Capacity	Varies with Tray Configuration					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R134A					
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS; With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	41" (104 cm)	Depth	38" (97 cm)
Ship Weight	*831lbs. (376.9kg) *Varies with tray configuration and options.					
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Lighted Delivery Bin, Door Switch, Versatile Steel Beverage Tray, Leg Covers, Elevator Delivery, Braille Keypad, Programmable by Individual Selections, Range & Row & ADA Compliant					
Options	7" iCart Touch Screen Interface, UVend Technology, inDEX Online (Touch Screen), Motor Pairing, High Capacity Can Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Automatic Controller (Heated Glass), Changeable LED Backlit POS, R-513A (SNAP Compliant) Refrigeration & Kick Panel					

Evoke Elevator

Shown with standard 3.5" display and braille identified keypad.



**Proven Elevator System
Gently Delivers Products**

First in First Out Loading



Drink Pre-Cool Storage
Customer can get a cold beverage immediately after re-stock occurs.



Patented High Capacity Can Tray
Holds 4 selections, delivers up to 80 cans, and is simple to load!

RC29 Combo Merchandiser						
Selections	9 Drinks; 20 Snacks					
Capacity	217 snack; 136 beverages in vend position (Additional 14 in pre-cool area. May Vary With Container Size)					
Selection Pricing	Individual from \$0 to \$99.95					
Payment Systems	Premium Electronic Coin Acceptor; \$1, \$5, \$10 & \$20 Bill Acceptor (Set for \$1 & \$5)					
Electrical Requirements	Domestic: 120 VAC/60Hz, 2.5 AMPS					
Dimensions	Height	74.5" (189.2 cm)	Width	34.75" (88.3 cm)	Depth	31.25" (79.3 cm)
Shipping Weight	*621 lb. (281.7 kg) *Varies with options.					
Standard Features	GVC1 Controller, iVend® Delivery Sensor System, Braille Keypad, Coin & Bill Acceptor and Carbon Fiber Door Graphics					
Options	Credit/Debit Card Reader					






Evoke VT5

Shown with optional High Capacity Can Tray, optional 7" touch screen and standard leg covers.

Evoke ST5

Shown with standard 3.5" display, braille identified keypad and standard leg covers.

Evoke 5 Refrigerated Merchandiser					
Selections	Up to 60 Items				
Capacity	Varies with Tray Configuration				
Payment Systems	All Industry standard MDB Compatible Devices				
Data Communication	DEX/UCS				
Refrigeration	Super 1/3 HP, R134A				
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS				
Dimensions	Height	72" (183cm)	Width	41" (104cm)	Depth 38" (97cm)
Ship Weight	*811 lbs. (367.8 kg) *Varies with tray configuration and options.				
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, ADA Delivery Bin, Braille Keypad, Full Health Safety Feature, Leg Covers & ADA Compliant				
Options	7" iCart Touch Screen Interface, UVend Technology, Motor Pairing, inDEX Online (Touch Screen), High Capacity Can Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Kick Panel, Automatic Controller (Heated Glass), R-513A (SNAP Compliant) Refrigeration & Changeable LED Backlit POS				




Evoke VT3

Shown with optional High Capacity Can Tray, optional 7" touch screen and standard leg covers.

Evoke ST3

Shown with standard 3.5" display, braille identified keypad and leg covers.

Evoke 3 Refrigerated Merchandiser					
Selections	Up to 36 Items				
Capacity	Varies with Tray Configuration				
Payment Systems	All Industry standard MDB Compatible Devices				
Data Communication	DEX/UCS				
Refrigeration	Super 1/3 HP, R134A				
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS				
Dimensions	Height	72" (183 cm)	Width	29.5" (75 cm)	Depth 38" (97 cm)
Ship Weight	*691 lbs. (313.4 kg) *Varies with tray configuration and options.				
Standard Features	FLEX Controller with 3.5" LCD Color Display, LED Lighting, iVend® Sensor System, Door Switch, ADA Delivery Bin, Braille Keypad, Full Health Safety Feature, Leg Covers & ADA Compliant				
Options	7" iCart Touch Screen Interface, Motor Pairing, UVend Technology, inDEX Online (Touch Screen), High Capacity Can Tray, Audio Interface, Custom Coil and Tray Configurations, Custom Colors, Custom Graphics, Kick Panel, Automatic Controller (Heated Glass), R-513A (SNAP Compliant) Refrigeration & Changeable LED Backlit POS				





Evoke Outdoor VT

Evoke Outdoor ST

Evoke Outdoor Refrigerated Merchandiser						
Selections	Up to 60 Items					
Capacity	Varies with tray configuration					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R134A or R-513A (SNAP Compliant)					
Electrical Requirements	Domestic: 115 VAC/60Hz, 8 AMPS International: 230 VAC/50Hz, 4 AMPS With Heated Glass Option: 115 VAC/60Hz, 9 AMPS International: 230 VAC/50Hz, 4.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	45" (114 cm)	Depth	40" (102 cm)
Ship Weight	*830 lbs. (376.5 kg) *Varies with tray configuration and options.					
Standard Features	Outdoor Package, GVC2 Controller, Heated Glass, Leg Covers, LED Lighting, ADA Delivery Bin, ADA Compliant, iVend® Sensor System, and Door Switch					
Options	6th Tray, Dual Helix, Motor Pairing, 10 Select Can/Bottle, UVend Technology, High Capacity Can Tray, R-513A (SNAP Compliant) Refrigeration, Custom Graphics and Kick Panel					



Shown with standard 3.5" display, braille identified keypad and leg covers.

Outdoor Package
Impact resistant Lexan window cover, rain guards and anti-pry covers provide superior resistance to the elements, vandals and thieves.



Shown with optional touch screen and full frozen configuration

Shown with Multi-Zone configuration & standard keypad

Evoke Frozen Refrigerated/Frozen Merchandiser						
Selections	28 Selections, Configurable up to 36					
Capacity	320 Items, Configurable up to 540					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	½ HP, R-404A					
Electrical Requirements	Domestic: 115 VAC/60Hz, 13 AMPS International: 230 VAC/50Hz, 6.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	29.5" (75 cm)	Depth	38" (97 cm)
Ship Weight	*680 lbs. (308.4 kg) *Varies with tray configuration and options.					
Standard Features	Flex Controller & 3.5" LCD Color Screen, iVend® Delivery Sensor System, LED lighting, Heated Glass, High Efficiency and Modular Refrigeration System					
Options	Delivery Assist Box, InDEX Tool, UVend Technology, Touch Screen, Motor Pairing, Dual Helix, Can & Bottle Tray, Custom Graphics, R-452A (SNAP Compliant) Refrigeration & Credit/Debit Card Reader					



Available in Multi-Zone Configuration or Full Frozen Configuration

Vend refrigerated foods from the top zone at 36°F and frozen deserts at -15°F from the bottom.




Fresh Brew and Freeze Dried Models Available



Evoke Coffee Hot Beverage Merchandiser						
Selections	11 Major Selections & up to 34 Beverage Combinations of Coffee, Specialty Coffees, Hot chocolate, Tea, Cappuccino & Espresso					
Capacity	Up to 400 - 7 oz (210 ml) squat cups; Up to 384 - 12 oz (355 ml) cups Accommodates cups up to a lip diameter of 2.9-3.25" (73-82.5 mm)					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS, EVA-DTS compatible, USB copy/clone feature					
Electrical Requirements	Domestic: 115 VAC/60Hz., 9.6 AMPS; International: 230 VAC/50Hz 4.8 AMPS					
Dimensions	Height	72" (183 cm)	Width	27.5" (70.5 cm)	Depth	28" (71 cm)
Ship Weight	*361 lbs. (163.7 kg) *Varies with configuration and options.					
Water Requirement	15-116 psi (1-8 Bar)					
Standard Features	LED lighting, iVend® Delivery Sensor System, Advanced Power Management System, Automatic Delivery Door, Timed Free Vend, Discounting, One Touch Servicing					
Options	Fresh Brew and Freeze Dry Models, USB Programming Harness, Custom Colors, Custom Graphics, UVend Technology and Kick Panel					



Evoke 10 Cold Drink Vendor						
Selections	10 Selections					
Capacity	12 oz (355 ml) Can: 500 *20 oz (591ml) Bottle: 240 *24 oz (710 ml) Bottle: 240 *Capacities vary depending on packaging.					
Payment Systems	All Industry standard MDB Compatible Devices					
Data Communication	DEX/UCS					
Refrigeration	Super 1/3 HP, R-513a (SNAP Compliant)					
Electrical Requirements	Domestic: 115 VAC/60Hz., 7 AMPS; International: 230 VAC/50Hz 3.5 AMPS					
Dimensions	Height	72" (183 cm)	Width	31.75" (80.7 cm)	Depth	36.5" (92.7 cm)
Ship Weight	*671lbs (304.3 kg) *Varies with options.					
Standard Features	Delivery Drop Sensor, Live Product Display, Eye Catching Back Lighted Display					
Options	inDEX Tool (Pricing Only), UVend Technology, Custom Colors, Custom Graphics, Extra 16.9oz filler, 250ml kit, 500 ml kit					



Standard Features & Options

U-Select-It's full line of vendors are packed full of features and available options to help you market more effectively.



Electronic Controllers and Operator Interface

- Expanded sales and accounting features
- Back lighted keypad with Braille identification
- Bright LED display



Cashless (Optional)

Greenlite Cashless accepts credit, debit & mobile payments.



PUSH-IT Delivery System (Optional)

PUSH-IT easily adapts to many different products, makes restocking simple, and protects against misloading.



ADA Delivery Bin (Optional) Standard on Evoke

Product is delivered at 15" via lift mechanism. Operates with one hand.



Heated Glass

Optimum for use in high humidity locations. Standard on Alpine Combi 3000 and Evoke Outdoor ST/VT. Optional Evoke ST/VT5 and ST/VT3.



Kick Panel (Optional)

Removable bottom panel provides aesthetically pleasing continuous presentation.



UVend Technology (Optional)

Quickly and safely sanitizes the machine's high-touch surfaces with UVC light



iCART

10.1" or 7" Touch Screen Interfaces (Optional)


Enhances consumer purchase experience. Available with Shopping Cart and Product Info Browse Mode. Communicates purchase information & messages



Flex Shelf Technology

USI vendors feature the most versatile trays on the market with features that make a difference in your bottom line.

- Tilting shelves for easy loading
- Quick change motors and dividers for easy in-field configuration changes
- Adjustable snack and candy selections
 - Full snack (5 3/4"W)
 - 3/4 snack (4 5/16"W)
 - Candy (2 7/8"W)
- 360 - degree helix adjustable in 20 - degree increments provides flexibility to vend virtually anything



Custom Graphics (Optional)

Make your brand, product and marketing initiatives stand out with billboard graphics applied to your equipment.



iVend® Ensured Delivery Sensing Technology

Infrared sensor system virtually eliminates misvends and ensures that your customers receive their products or their money back.



Motor Pairing

Enables pairing two motors together for dispensing wide products.



Gum & Mint Tray (Optional)

Gum & Mint Tray option dispenses blister pack gum, rolled mints and even popular energy shots. Available on Mercato 4000, 5000 and Evoke 5.



Versatile Steel Beverage Tray Options

Holds up to 60 canned or bottle beverages. 9 and 10 Select Trays Available.



High Capacity Can Tray (Optional)

Add up to 150 - 12 oz cans to your Evoke ST & VT vendors with this patented option.



High Security Kit (Outdoor Only)

Impact resistant Lexan window cover, provide superior resistance to the elements, vandals and thieves. *Some features vary by model please consult manufacturer.



USB Software Upgrades and DEX Downloads with Evoke and Geneva

Never miss a sale with Greenlite Cashless



Give your business the **Greenlite** to grow.



By accepting cashless payment options, including credit, debit and mobile payments, you can increase sales by 30% or more while increasing operational efficiencies.

Features:



Engineered for Mobile Payments



Integrated Cash Management



Timely Deposits, Clear Pricing, Faster Profits



Real-Time Reporting



Advanced Security



Remote Inventory Management



Remote monitoring and pricing

Payment Systems – Conlux Coin Changes and Bill Validators



Other cash & credit payment systems including international are available. Please contact U-Select-It for a quote.



Conlux CV 3000 Series

Coin Changers



Model	Type	Currency/Capacity
MCM5-1	MDB	5 Tube Cassette - 25¢, 5¢, 25¢, 10¢, 25¢
MCM5-4	MDB	5 Tube Cassette - \$1, 5¢, 25¢, 10¢, 25¢

Bill Validators



Model	Type	Currency/Capacity
CV3Y2-U3MUS	MDB	U.S. 300 Bill Capacity - \$1-\$20 and Coupon - Bottler Front Bezel
CV322-USMUS	MDB	U.S. 500 Bill Capacity - \$1-\$20 and Coupon - Full Line Front Bezel
CV322-USMUS	MDB	U.S. 500 Bill Capacity - \$1-\$20 and Coupon - Bottler Front Bezel




Conlux MCM5 Series

Financing

Competitive Financing Available

Innovative Finance Solutions Available For:



New Vending Equipment



Route Acquisition



Parts



Cashless Readers



Micro Markets

Leasing options also available

Since 1952, we have helped customers grow their vending businesses and reach their goals by providing flexible, competitive financing solutions.

Warranty and Service

Exceptional Quality Backed by Added Assurance

Premium 2-Year Warranty

Nothing drives us to do better than our commitment to your peace of mind. That's why every new USI merchandiser comes with a **premium 2-year warranty***. True value is owning a quality merchandiser without repair worries.



The Solid Shield Warranty provides up to an additional 36 months of warranty protection. Available with 12, 24 and 36 month coverage options, the Solid Shield Warranty provides peace of mind and coverage for future, unplanned expenses.

**Terms and conditions apply. Contact U-Select-It for full warranty coverage details.*

© 2024 U-Select-It, A Wittern Group Company.